

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 17-Dec-2024 **Revision Number** 1

## 1. Identification

### **Product identifier**

**Product Name** Ether, Anhydrous, Absolute, ACS

Other means of identification

Product Code(s) 2035

**UN number or ID number** UN1155

**Synonyms** Ether; Diethyl ether; Ethyl ether; Diethyl oxide; Ethyl oxide

Recommended use of the chemical and restrictions on use

Recommended use Industrial use

Laboratory use

Industrial Manufacturing (all)

Restrictions on use No information available

## Details of the supplier of the safety data sheet

## **Supplier Address**

Columbus Chemical Industries, Inc. N4335 Temkin Rd. Columbus, WI 53925 USA Phone: (920) 623-2140

Fax: (920) 623-2577

www.columbuschemical.com

## Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 for US / 703-527-3887 outside US

**Emergency Telephone** 911

# 2. Hazard(s) identification

## Classification

Acute toxicity - Oral	Category 4
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 1

# Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

## **Danger**

## **Hazard** statements

H302 - Harmful if swallowed

H336 - May cause drowsiness or dizziness

H224 - Extremely flammable liquid and vapor.



## **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take action to prevent static discharges

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P235 - Keep cool

## **Precautionary Statements - Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 - Rinse mouth

P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish

## **Precautionary Statements - Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other information

Causes mild skin irritation.

# 3. Composition/information on ingredients

## **Mixture**

**Synonyms** 

Ether; Diethyl ether; Ethyl ether; Diethyl oxide; Ethyl oxide.

Chemical name	CAS No	Weight-%	Formula	Molecular Weight
Ethyl ether	60-29-7	>98	(CH3CH2)2O	74.12 g/mol
Ethyl alcohol	64-17-5	<2	C2H5OH	46.07 g/mol

## 4. First-aid measures

### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

### Most important symptoms and effects, both acute and delayed

Symptoms Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation.

## Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

## 5. Fire-fighting measures

Suitable Extinguishing Media

Large Fire

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon oxides.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

## Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. Handling and storage

### Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children.

# 8. Exposure controls/personal protection

## Control parameters

## **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Ethyl ether	STEL: 500 ppm	TWA: 400 ppm	IDLH: 1900 ppm
	TWA: 400 ppm	TWA: 1200 mg/m <sup>3</sup>	
		(vacated) TWA: 400 ppm	
		(vacated) TWA: 1200 mg/m <sup>3</sup>	
		(vacated) STEL: 500 ppm	
		(vacated) STEL: 1500 mg/m <sup>3</sup>	
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	_

### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearColorColorless

Odor Mild alcohol. Pungent, sweet.

Odor threshold <10 ppm

PropertyValuesRemarks• MethodpHNo data availableNone known

pH (as aqueous solution)

No data available

None known

Melting point / freezing point

-116 °C / -176.8 °F

None known

None known

None known

None known

None known

range

Flash point -45 °C / -49.0 °F None known Evaporation rate No data available None known No data available None known

Flammability Limit in Air

Upper flammability or explosive No data available None known

limits

Lower flammability or explosive No data available None known

limits

Vapor pressure No data available None known No data available Relative vapor density None known Relative density 0.70 - 0.71 None known Water solubility Soluble in water None known None known Solubility(ies) No data available Partition coefficient No data available None known No data available **Autoignition temperature** None known **Decomposition temperature** None known None known

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

Explosive properties

Oxidizing properties

Softening point

Molecular weight

VOC content

No information available
No information available
No information available
No information available

Liquid Density

No information available

Bulk density

No information available

# 10. Stability and reactivity

Reactivity Reacts violently with oxidizers causing fire and explosion hazard.

Chemical stability Extremely flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products Carbon oxides. May release flammable gases.

# 11. Toxicological information

### Information on likely routes of exposure

### **Product Information**

**Inhalation** May cause drowsiness or dizziness.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components).

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation.

## **Acute toxicity**

## **Numerical measures of toxicity**

### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,225.10 mg/kg
ATEmix (dermal) 20,202.00 mg/kg
ATEmix (inhalation-gas) 99,999.00 ppm
ATEmix (inhalation-vapor) 98.00 mg/l
ATEmix (inhalation-dust/mist) 116.90 mg/l

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl ether	= 1215 mg/kg ( Rat )	> 20000 mg/kg (Rabbit)	= 32000 ppm (Rat) 4 h
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat)4 h = 133.8 mg/L (Rat)4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Causes mild skin irritation.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	-	-	-

## Legend

## ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

Reproductive toxicity No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure**No information available.

Target organ effects Liver, Respiratory system, Eyes, Skin, Central nervous system, Blood, Reproductive

system.

**Aspiration hazard** No information available.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethyl ether	-	LC50: =2560mg/L (96h,	-	-
		Pimephales promelas)		
		LC50: >10000mg/L (96h,		
		Lepomis macrochirus)		
Ethyl alcohol	-	LC50: 12.0 - 16.0mL/L	-	LC50: 9268 - 14221mg/L
		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss)		EC50: =2mg/L (48h,
		LC50: >100mg/L (96h,		Daphnia magna)
		Pimephales promelas)		
		LC50: 13400 -		
		15100mg/L (96h,		
		Pimephales promelas)		

Persistence and degradability No information available.

Bioaccumulation

Component Information

Component information			
Chemical name	Partition coefficient		
Ethyl ether	0.82		
Ethyl alcohol	-0.35		

Other adverse effects No information available.

# 13. Disposal considerations

### **Disposal methods**

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

US EPA Waste Number D001, U117.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

# 14. Transport information

**DOT** Regulated

UN number or ID number UN1155
Proper shipping name UN1155

Transport hazard class(es) 3
Packing group I
DOT Marine Pollutant No

TDG Regulated

UN number or ID number UN1155
UN proper shipping name Diethyl Ether

Transport hazard class(es) 3
Packing group 1

ICAO (air) Regulated
UN number or ID number UN1155

UN proper shipping name Diethyl Ether

Transport hazard class(es) 3
Packing group 1

<u>IATA</u> Regulated

UN number or ID number UN1155
UN proper shipping name Diethyl Ether

Transport hazard class(es) 3
Packing group 1

IMDGRegulatedUN number or ID numberUN1155

UN proper shipping name Diethyl Ether

Transport hazard class(es) 3
Packing group 1

# 15. Regulatory information

International Inventories

TSCA Complies. DSL/NDSL Complies.

EINECS/ELINCS
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
KECL
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
AllC
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Ethyl ether	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

## **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl ether	X	X	Χ
Ethyl alcohol	X	X	X

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

NFPAHealth hazards1Flammability4Instability0Special hazards-HMISHealth hazards2Flammability4Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 17-Dec-2024

**Revision Note** No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**