

Revision date 17-Dec-2024

.....

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Revision Number 1

1. Identification		
Product identifier		
Product Name	Hydrogen Peroxide 30%, SEMI Plus	
Other means of identification		
Product Code(s)	2663	
UN number or ID number	UN2014	
Synonyms	Peroxide; Dihydrogen dioxide; Hydrogen dioxide.	
Recommended use of the chemical	and restrictions on use	
Recommended use	Industrial use Laboratory use Industrial Manufacturing (all)	
Restrictions on use	No information available	
Details of the supplier of the safety	data sheet	
<u>Supplier Address</u> Columbus Chemical Industries, Ind N4335 Temkin Rd. Columbus, WI 53925 USA Phone: (920) 623-2140 Fax: (920) 623-2577 www.columbuschemical.com	2.	
Emergency telephone number		
24 Hour Emergency Phone Number	CHEMTREC: 1-800-424-9300 for US / 703-527-388	7 outside US
Emergency Telephone	911	
2. Hazard(s) identification		
<u>Classification</u>		
Acute toxicity - Oral		Category 4
Skin correction/irritation		Category 1 Sub category A

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Oxidizing liquids	Category 2

### Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements Danger

### Hazard statements

H302 - Harmful if swallowed

- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation
- H272 May intensify fire; oxidizer.



### **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

- P270 Do not eat, drink or smoke when using this product
- P260 Do not breathe dusts or mists
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P271 Use only outdoors or in a well-ventilated area

P210 - Keep away from heat

- P220 Keep/Store away from clothing/ combustible materials
- P221 Take any precaution to avoid mixing with combustibles

### **Precautionary Statements - Response**

P310 - Immediately call a POISON CENTER or doctor/physician

P321 - Specific treatment (see First-Aid Measures on SDS)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

- P330 Rinse mouth
- P331 Do NOT induce vomiting

P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish

### **Precautionary Statements - Storage**

P405 - Store locked up P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other information

Harmful to aquatic life with long lasting effects.

### 3. Composition/information on ingredients

### Mixture

### Synonyms

Peroxide; Dihydrogen dioxide; Hydrogen dioxide.

Chemical name	CAS No	Weight-%	Formula	Molecular Weight
Water	7732-18-5	Balance	H2O	18.00 g/mol
Hydrogen peroxide	7722-84-1	28-32	H2O2	34.01 g/mol

### 4. First-aid measures

### **Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Skin contact	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get immediate medical attention.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Most important symptoms and effect	ts, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medical	attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

### 5. Fire-fighting measures

Suitable Extinguishing Media Large Fire	Use water. Do not use dry chemicals or foams. CO <sub>2</sub> or Halon may provide limited control. Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Dry chemical.
Specific hazards arising from the chemical	These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Runoff may create fire or explosion hazard. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Explosion data	

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Do not move cargo or vehicle if cargo has been exposed to heat. Oxidizer. May ignite combustibles (wood paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. Attention! Corrosive material. Use personal protective equipment as required.		
Other information	Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.		
Methods and material for containment and cleaning up			
Methods for containment	Dike far ahead of spill; use dry sand to contain the flow of material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Stop leak if you can do it without risk.		
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Flush area with flooding quantities of water. Prevent product from entering drains.		

### 7. Handling and storage

### Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

### Conditions for safe storage, including any incompatibilities

# Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly<br/>labeled containers. Do not store near combustible materials. Store in accordance with the<br/>particular national regulations. Store in accordance with local regulations. Keep out of the<br/>reach of children. Protect from moisture. Store locked up. Store away from other materials.

### 8. Exposure controls/personal protection

### Control parameters

### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hydrogen peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm
		TWA: 1.4 mg/m <sup>3</sup>	TWA: 1 ppm
		(vacated) TWA: 1 ppm	TWA: 1.4 mg/m <sup>3</sup>
		(vacated) TWA: 1.4 mg/m <sup>3</sup>	-

### Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.
Individual protection measur	res, such as personal protective equipment
<b>F</b> . ( <b>f</b>	

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Chemical resistant apron. Wear fire/flame resistant/retardant clothing. Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

## 9. Physical and chemical properties

Information on basic	physica	I and chemical	properties
Information on Subio	phyoiou	i una ononnou	proportioo

Physical state	Liquid	
	1	
Appearance	Clear	
Color	Colorless	
Odor	Odorless	
Odor threshold	No information available	
Property_	Values	Remarks • Method
pH	<= 3.7	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		
Upper flammability or explosive	No data available	None known
limits		
Lower flammability or explosive limits	No data available	None known

Vapor pressure Relative vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature	No data available No data available 1.09 - 1.13 Soluble in water No data available No data available No data available No data available	None known None known None known None known None known None known None known
Kinematic viscosity Dynamic viscosity	No data available No data available No data available	None known None known None known
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC content Liquid Density Bulk density	No information available Strong oxidizer No information available No information available No information available No information available	

### 10. Stability and reactivity

Reactivity	Oxidizer.
Chemical stability	May cause fire or explosion; strong oxidizer.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks. Incompatible materials. Exposure to air or moisture over prolonged periods. UV-radiation/sunlight.
Incompatible materials	Organic material. Combustible material. Hydrocarbons. Acids. Bases. Iron and heavy metals. Copper.

Hazardous decomposition products Oxygen which supports combustion.

### 11. Toxicological information

### Information on likely routes of exposure

### **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,666.70 mg/kg
ATEmix (dermal)	30,666.70 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	6.67 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	>90 mL/kg (Rat)	-	-
Hydrogen peroxide	= 1518 mg/kg (Rat)	= 9200 mg/kg (Rabbit)	= 2000 mg/m³ (Rat)4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrogen peroxide	A3	Group 3	-	-

Leq	end	

ACGIH (American Conference of Governmental Industrial Hygienists)
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.

### Interactive effects

No information available.

### 12. Ecological information

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen peroxide	-	LC50: =16.4mg/L (96h, Pimephales promelas) LC50: 18 - 56mg/L (96h, Lepomis macrochirus) LC50: 10.0 - 32.0mg/L (96h, Oncorhynchus mykiss)		EC50: 18 - 32mg/L (48h, Daphnia magna)

Persistence and degradability	No information available.
Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

### 13. Disposal considerations

### **Disposal methods**

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers. Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	D001.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. Transport information

DOT	Regulated
UN number or ID number	UN2014
Proper shipping name	Hydrogen peroxide, aqueous solutions
Transport hazard class(es)	5.1
Subsidiary hazard class	(8)
Packing group	II
DOT Marine Pollutant	No
<u>TDG</u>	Regulated
UN number or ID number	UN2014
UN proper shipping name	Hydrogen peroxide, aqueous solutions
Transport hazard class(es)	5.1
Subsidiary hazard class	(8)
Packing group	II

ICAO (air)	Regulated
UN number or ID number	UN2014
UN proper shipping name	Hydrogen peroxide, aqueous solutions
Transport hazard class(es)	5.1
Subsidiary hazard class	(8)
Packing group	II
<u>IATA</u>	Regulated
UN number or ID number	UN2014
UN proper shipping name	Hydrogen peroxide, aqueous solutions
Transport hazard class(es)	5.1
Subsidiary hazard class	(8)
Packing group	II
IMDG	Regulated
UN number or ID number	UN2014
UN proper shipping name	Hydrogen peroxide, aqueous solutions
Transport hazard class(es)	5.1
Subsidiary hazard class	(8)
Packing group	II

### 15. Regulatory information

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

- **ENCS** Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances
- AICS Australian Inventory of Chemical Substances
- **NZIOC** New Zealand Inventory of Chemicals

### US Federal Regulations

### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u> This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Hydrogen peroxide	-	1000 lb	

### US State Regulations

<u>California Proposition 65</u> This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Hydrogen peroxide X		Х	Х

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
<u>NFPA</u> HMIS	Health hazards 3 Health hazards 3	Flammability Flammability		Instability 1 Physical hazards	Special hazards OX 1 Personal protection X
Key or legend to abb	reviations and acronyms	used in the safe	ty data s	heet	
TWA TV	EXPOSURE CONTROLS/P VA (time-weighted average) aximum limit value		TEL		Ferm Exposure Limit)
Agency for Toxic Subs U.S. Environmental Pr European Food Safety EPA (Environmental P Acute Exposure Guide U.S. Environmental Pr U.S. Environmental Pr Food Research Journa Hazardous Substance International Uniform ( National Institute of Te Australia National Indu NIOSH (National Instit National Library of Me National Library of Me National Library of Me National Toxicology P New Zealand's Chemi Organization for Econo	Protection Agency) eline Level(s) (AEGL(s)) rotection Agency Federal In- rotection Agency High Produ- al Database Chemical Information Datab echnology and Evaluation (N ustrial Chemicals Notification ute for Occupational Safety dicine's ChemID Plus (NLM dicine's PubMed database rogram (NTP) cal Classification and Inform omic Co-operation and Dev omic Co-operation and Dev omic Co-operation and Dev	ry (ATSDR) Database secticide, Fungicia action Volume Ch ase (IUCLID) IITE) and Assessmen and Health) CIP) (NLM PUBMED) nation Database ( elopment Environ elopment High Pr	de, and R emicals t Scheme CCID) ment, He oduction	odenticide Act (NICNAS) alth, and Safety Publica Volume Chemicals Pro	
	vided in this Safety Data S	ation available. heet is correct to			nformation and belief at the ng, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet